


Product Type: Optocoupler solid-state relay

Product Name: SCR-OP-
24DC48DC-3A

Product Description: Optocoupler relay IN:24VDC
OUT:48VDC-3A

Product Size



Parameters

<input checked="" type="checkbox"/> SUPU ID	SCR-OP-24DC48DC-3A
<input checked="" type="checkbox"/> Contact plating	Tin
<input checked="" type="checkbox"/> Product family	SCR Series

<input checked="" type="checkbox"/> Certification in acc. with standard	EN61947-5-1:2017/AC:2020
<input checked="" type="checkbox"/> Mounting type	DIN 35mm rail mounting
<input checked="" type="checkbox"/> Assembly note	No spacing arrangement
<input checked="" type="checkbox"/> Mounting position	optional
<input checked="" type="checkbox"/> Connection type	NPN / PNP
<input checked="" type="checkbox"/> Wire Range	26-12/0.2-2.5mm ²
<input checked="" type="checkbox"/> Impulse withstand voltage	4KV
<input checked="" type="checkbox"/> 厚x宽x高 (mm)	6.2x90x72
<input checked="" type="checkbox"/> Plastic materials	PA66

Technical data

<input checked="" type="checkbox"/> IEC Rated Current	15~50mA
<input checked="" type="checkbox"/> Protective circuit	Anti-reverse protection, TVS surge protection
<input checked="" type="checkbox"/> Indicator light	Emerald (LED)
<input checked="" type="checkbox"/> Maximum switching frequency	10~200HZ*
<input checked="" type="checkbox"/> Input polarity	Monopole
<input checked="" type="checkbox"/> Rated switching voltage	5~48VDC
<input checked="" type="checkbox"/> Rated switching current	100mA~3000mA
<input checked="" type="checkbox"/> Maximum switching voltage	48VDC
<input checked="" type="checkbox"/> Continuing current	3000mA
<input checked="" type="checkbox"/> Voltage dips	0.1V
<input checked="" type="checkbox"/> Load type	DC
<input checked="" type="checkbox"/> Load protection circuit	DC

Commercial data

☒ Order No

SCR-OP-24DC48DC-3A

☒ Packing unit

PCS

☒ Minimum order quantity

10

☒ Single piece weight

24.85

Ningbo SUPU Electronics Co., Ltd.

Address: No. 150, Xinxing 4th Road, High-tech Industrial Development Zone,
Cixi City, Zhejiang Province, China


Zip code: 315303

Switchboard: +86 574-63288158

Fax: +86 574-63288170

E-mail: supucontact@supu.cn

Service Hotline: 400-626-6336



Wechat

Date:2026-05-04 10:16

The right to modify data belongs to SUPU.