

Product Type: Spring-cage terminal

Product Name:TCT2.5-2-GY-N

Product Description: Connection method:Spring cage connection,IEC Rated Current:22A,IEC Rated Voltage:500V,Number of connections:6,Number of levels:3,Rated cross section:28-12AWG

Product Size



Parameters

SUPU ID	TCT2.5-2-GY-N
Width	5.2mm
Number of levels	3
Number of connections	6

Connection method	Spring-cage connection
Protection Level	IP20
Insulation material	PA66
Insulation material group	I
Contact material	Copper alloy
Contact plating	Sn,Plated
Ambient temperature (operation)	-40°C～105°C
Ambient temperature (assembly)	-5°C～70°C
Ambient temperature (storage)	-25°C～60°C
Permissible humidity (storage/transport)	30%～70%

Commercial data

Order No	TCT2.5-2-GY-N

Ningbo SUPU Electronics Co., Ltd.

Address: No. 150, Xinxing 4th Road, High-tech Industrial Development Zone,

Cixi City, Zhejiang Province, China

Zip code: 315303

Switchboard: +86 574-63288158

Fax: +86 574-63288170

E-mail:supucontact@supu.cn

Service Hotline: 400-626-6336

Wechat

The right to modify data belongs to SUPU.