



Product Type: Crimp terminal

Product Name:MC-RB5.08-25-3000

Product Description: Pitch:5.08mm Rated Voltage : 320V Rated Current: 12A



## Product Size



## Parameters

|                         |                   |
|-------------------------|-------------------|
| ⌘ SUPU ID               | MC-RB5.08-25-3000 |
| ⌘ Pitch                 | 5.08              |
| ⌘ Number of levels      | /                 |
| ⌘ Number of connections | /                 |

|                             |                      |
|-----------------------------|----------------------|
| Connection method           | Cold Pressure Wiring |
| Protection Level            | IP20                 |
| Operating temperature range | -40~+105°C           |
| Insulation material         | -                    |
| Insulation material group   | -                    |
| Contact material            | Copper alloy         |
| Contact plating             | Sn,Plated            |

## Commercial data

|          |                   |
|----------|-------------------|
| Order No | MC-RB5.08-25-3000 |
|----------|-------------------|

## Ningbo SUPU Electronics Co., Ltd.

Address: No. 150, Xinxing 4th Road, High-tech Industrial Development Zone,  
Cixi City, Zhejiang Province, China

Zip code: 315303

Switchboard: +86 574-63288158

Fax: +86 574-63288170

E-mail:supucontact@supu.cn

Service Hotline: 400-626-6336



Wechat

