




Product Type: Din rail power supply

Product Name:SDP2-1AC24-960

Product Description: Single phase full range, 24V/960W, DC OK remote monitoring, DIN 35 rail mounting

## Product Size



## Parameters

☞ SUPU ID	SDP2-1AC24-960
☞ Protection Level	IP20
☞ Operating temperature range	-40~+70°C
☞ Terminal block	MC-TC5.0H2P-BK MC-TC5.0H3P-BK-0001-RZ MC-TC/F10.0H4P-BK-0001
☞ DC OK	Yes
☞ Dimensions(mm)	127 * 155* 120

## Technical data

IEC Rated Current	11A
IEC Rated Voltage	AC:264V DC:370V
Nominal input	AC、DC
Efficiency	94%
Ripple noise	150mVp-p
Input frequency	63HZ
Peak load capacity	150%
Withstand voltage	I/P-O/P : 3000Vac.60S,≤10mA I/P- PE : 1500Vac.60S,≤10mA O/P- PE : 700VDC.60S,≤10mA
Working altitude	≤3000m

## Commercial data

Order No	SDP2-1AC24-960
Packing unit	PCS
Minimum order quantity	1
Single piece weight	2.74KG

## Ningbo SUPU Electronics Co., Ltd.

Address: No. 150, Xinxing 4th Road, High-tech Industrial Development Zone,

Cixi City, Zhejiang Province, China

Zip code: 315303

Switchboard: +86 574-63288158

Fax: +86 574-63288170

E-mail:supucontact@supu.cn

Service Hotline: 400-626-6336



Wechat

---

Date:2026-06-13 04:22

The right to modify data belongs to SUPU.